

NOTES:-


FOR (3) :
- APPLY LOCTITE BLUE
- TIGHTEN TO 8 NM

FOR (11) :
- APPLY LOCTITE BLUE
- TIGHTEN TO 8 NM

FOR (12) :
- APPLY LOCTITE RED
- TIGHTEN TO 40 NM

FOR (14) :
- APPLY LOCTITE BLUE
- TIGHTEN TO 8 NM

FOR (17) :
- APPLY LOCTITE BLUE
- TIGHTEN TO 8 NM



ITEM NO.	PartNo	Description	Material	QTY.
1	70-0025	Deutsch Inner Seal 4 Pin	NBR 30 Durometer	1
2	70-0024	Clip Deutsch 4 Pin	PP	1
3	90-0027	CH-M06-25-316 Screw - Socket Cap Head	316 Stainless Steel	8
4	70-0035	Deutsch Clip Seal	NBR 70 Durometer	1
5	30-0034	Front Case	A356	1
6	30-0081	Front Case Bushing	Brass	1
7	70-0046	Spring Bendix	316 Stainless Steel	1
8	90-9004	W-M06-12-316 Washer	316 Stainless Steel	1
9	30-0033	Alternator Loom Strain Relief	304 Stainless Steel x 2mm	1
10	90-3007	KH-M06-08-316 Socket Head - Countersunk Screw M6 x 8mm Stainless 316 (Krash)	316 Stainless Steel	1
11	90-2019	BH-M06-8-316 Screw - Socket Button Head M6 x 8 Stainless	316 Stainless Steel	1
12	30-0129	Flywheel Bolt	ANSI 4762 Steel	1
13	30-0094	Flywheel Assy	See BOM	1
14	90-0024	CH-M06-16-316 Screw - Socket Cap Head	AISI 304	2
15	30-0089	Pickup Spacer	Aluminium 6061-T6	2
16	70-0141	Pickup Assembly	See BOM	1
17	90-0002	M6 x 30 Cheese Head Custom	316 Stainless Steel	3
18	70-0068	Stator	See BOM	1
19	30-0090	Frontcase Quad Ring	NBR 70 Durometer	1

REVISION	ISSUE	DESCRIPTION	SIG	DATE
03	A	REPLACED INDIVIDUAL FLYWHEEL COMPONENTS WITH THE ASSEMBLY. REPLACED CAP HEAD WITH BUTTON HEAD (M6 X 8 - 90-2019). CREATED REVISION TABLE TO TRACK CHANGES	THB	12/10/18